Chapter 24 Homework Problems

3. A flat surface of area 3.20 m² is rotated in a uniform electric field of magnitude $E = 6.20 \times 10^5$ N/C. Determine the electric flux through this area (a) when the electric field is perpendicular to the surface and (b) when the electric field is parallel to the surface.

5. An electric field of magnitude 3.50 kN/C is applied along the x axis. Calculate the electric flux through a rectangular plane 0.350 m wide and 0.700 m long (a) if the plane is parallel to the yz plane, (b) if the plane is parallel to the xy plane, and (c) if the plane contains the y axis and its normal makes an angle of 40.0° with the x axis.

9. **M** The following charges are located inside a submarine: 5.00 μC, −9.00 μC, 27.0 μC, and −84.0 μC. (a) Calculate the net electric flux through the hull of the submarine. (b) Is the number of electric field lines leaving the submarine greater than, equal to, or less than the number entering it?

10. The electric field everywhere on the surface of a thin, spherical shell of radius 0.750 m is of magnitude 890 N/C and points radially toward the center of the sphere. (a) What is the net charge within the sphere's surface? (b) What is the distribution of the charge inside the spherical shell?

17. **S** A particle with charge Q is located a small distance δ immediately above the center of the flat face of a hemisphere of radius R as shown in Figure P24.17. What is the electric flux (a) through the curved surface and (b) through the flat face as $\delta \to 0$?


Figure P24.17

22. The charge per unit length on a long, straight filament is −90.0 μC/m. Find the electric field (a) 10.0 cm, (b) 20.0 cm, and (c) 100 cm from the filament, where distances are measured perpendicular to the length of the filament.

27. **M** Consider a thin, spherical shell of radius 14.0 cm with a total charge of 32.0 μC distributed uniformly on its surface. Find the electric field (a) 10.0 cm and (b) 20.0 cm from the center of the charge distribution.

28. **Q|C** A nonconducting wall carries charge with a uniform density of 8.60 μC/cm². (a) What is the electric field 7.00 cm in front of the wall if 7.00 cm is small compared with the dimensions of the wall? (b) Does your result change as the distance from the wall varies? Explain.

30. **Q|C** Assume the magnitude of the electric field on each face of the cube of edge $L = 1.00$ m in Figure P24.30 is uniform and the directions of the fields on each face are as indicated. Find (a) the net electric flux through the cube and (b) the net charge inside the cube. (c) Could the net charge be a single point charge?

25.0 N/C
20.0 N/C
20.0 N/C
35.0 N/C
20.0 N/C
15.0 N/C

31. A solid sphere of radius 40.0 cm has a total positive charge of 26.0 μC uniformly distributed throughout its volume. Calculate the magnitude of the electric field (a) 0 cm, (b) 10.0 cm, (c) 40.0 cm, and (d) 60.0 cm from the center of the sphere.

32. A cylindrical shell of radius 7.00 cm and length 2.40 m has its charge uniformly distributed on its curved surface. The magnitude of the electric field at a point 19.0 cm radially outward from its axis (measured from the midpoint of the shell) is 36.0 kN/C. Find (a) the net charge on the shell and (b) the electric field at a point 4.00 cm from the axis, measured radially outward from the midpoint of the shell.

40. A square plate of copper with 50.0-cm sides has no net charge and is placed in a region of uniform electric field of 80.0 kN/C directed perpendicularly to the plate. Find (a) the charge density of each face of the plate and (b) the total charge on each face.

41. Two identical conducting spheres each having a radius of 0.500 cm are connected by a light, 2.00-m-long conducting wire. A charge of 60.0 μC is placed on one of the conductors. Assume the surface distribution of charge on each sphere is uniform. Determine the tension in the wire.

54. **S** Two infinite, nonconducting sheets of charge are parallel to each other as shown in Figure P24.54. The sheet on the left has a uniform surface charge density σ, and the one on the right has a uniform charge density $-\sigma$. Calculate the electric field at points (a) to the left of, (b) in between, and (c) to the right of the two sheets. (d) **What If?** Find the electric fields in all three regions if both sheets have *positive* uniform surface charge densities of value σ.


σ
$-\sigma$

Figure P24.54

60. **S** A sphere of radius $2a$ is made of a nonconducting material that has a uniform volume charge density ρ. Assume the material does not affect the electric field. A spherical cavity of radius a is now removed from the sphere as shown in Figure P24.60. Show that the electric field within the cavity is uniform and is given by $E_x = 0$ and $E_y = \rho a/3\epsilon_0$.


y
a
$2a$
x

Figure P24.60